



# CREATION METHOD OF DYED DRAWING OF PLANT MATTER

## BACKGROUND OF THE INVENTION

5           This invention relates to a ~~creation~~ method for creating of a dyed drawing with of a plant matter by[[,]] ~~making~~ adhering the pigment of leaves and flowers ~~flower~~ of the plant matter to drawing paper, canvas, etc. ~~in the transfer state.~~

10           In the conventional dyed drawing, the leaves and flowers ~~of the plant matter~~ are located on the cloth such as cotton and hemp, and the leaves and flowers are struck ~~it is stroked~~ by a hammer. Then, the pigment of the leaves and flowers is adhered to the cloth.

15           In the conventional dyed drawing, the leaves and flowers ~~of the plant matter~~ are struck ~~stroked~~ with ~~the~~ a hammer, and the pigment of the leaves and flowers is transferred to the cloth such as cotton and hemp. Therefore, it is difficult to transfer pigment from ~~as the form of~~ the leaves and flowers, and it is too hard to create a beautiful dyed drawing.

20           Moreover, it is possible to create the ~~give the dyed~~ drawing to only the cloth which has an uneven ~~unevenness in the~~ surface thereof such as cotton and hemp.

## SUMMARY OF THE INVENTION

Accordingly, it is an object of the invention to provide a ~~creation~~ method of creating a dyed drawing of ~~[[a]]~~ plant matter ~~that can create the dyed drawing;~~ by adhering the pigment of leaves and flowers ~~flower of the plant~~ matter to drawing paper, canvas, etc. ~~in the transfer state.~~ It is another object of the invention to provide a ~~creation~~ method to create of a dyed drawing of ~~[[a]]~~ plant matter that everyone can do easily, and it can be introduced as a ~~to the~~ subject of a culture classroom.

Novel features which are believed to be characteristic of the invention, both as to its organization and method of operation, together with further objects and advantages thereof, are described below with reference to the accompanying drawings in which preferred embodiments of the invention are illustrated as examples ~~an example~~.

It is to be expressly understood, however, that the drawings are for the purpose of illustration and description only, and are not intended as a definition of the limits of the invention.

## BRIEF DESCRIPTION OF THE ~~THE~~ DRAWINGS

FIG.1 is a flow diagram showing a first embodiment of the present

invention;

FIG. 2 is an examination view of a step for arranging a mesh sheet;

FIG. 3 is an examination view of a step for arranging [[a]] plant

matter;

5 FIG. 4 is an examination view of a step for arranging an absorption  
sheet;

FIG. 5 is an examination view of a step for covering;

FIG. 6 is an examination view of a step for creating ~~painting~~ a dyed  
drawing;

10 FIG. 7 is an examination view of a step for removing;

FIG. 8 is an examination view of a step for fixing a pigment;

FIG. 9 is an examination view showing the way in which the extra  
pigment is absorbed in the absorption sheet;

15 FIG. 10 is a flow diagram showing a second embodiment of the present  
invention;

FIG. 11 is an examination view of a mesh sheet;

FIG. 12 is an examination view of a step for creating ~~painting~~ a dyed  
drawing;

20 FIG. 13 is a flow diagram showing a third embodiment of the present  
invention;

FIG. 14 is an examination view of a step for creating ~~painting~~ a dyed drawing;

FIG. 15 is an examination view of a step for coloring;

FIG. 16 is a flow diagram showing a fourth embodiment of the present invention;

FIG. 17 is an examination view of a step for scratching ~~hurting~~ [[a]] plant matter;

FIG. 18 is an examination view of a step for arranging [[a]] plant matter;

FIG. 19 is a flow diagram showing a fifth embodiment of the present invention;

FIG. 20 is an examination view of a step for enclosing;

FIG. 21 is a front view showing the way in which it is put in a picture frame;

FIG. 22 is a cross sectional view taken along a line 22-22 of FIG. 21;

FIG. 23 is a flow diagram showing a sixth embodiment of the present invention;

FIG. 24 is an examination view of a step for neutralizing an object for dyed drawing;

FIG. 25 is a flow diagram showing a seventh embodiment of the

present invention;

FIG. 26 is an examination view of a step for preventing oxidization;

FIG. 27 is a flow diagram showing an eighth embodiment of the  
present invention;

5           FIG. 28 is an examination view of a step for arranging [[a]] plant  
matter;

FIG. 29 is an examination view of a step for arranging a fixing sheet;

FIG. 30 is a flow diagram showing a ninth embodiment of the present  
invention;

10           FIG. 31 is a perspective view of a canvas for a dyed drawing of [[a]]  
plant matter;

FIG. 32 is an examination view for impregnating with a pH setting  
solution;

FIG. 33 is an examination view of a step for after-treatment;

15           FIG. 34 is a flow diagram showing a tenth embodiment of the present  
invention;

FIG. 35 is a perspective view of a canvas for a dyed drawing of [[a]]  
plant matter;

FIG. 36 is an examination view of a canvas for a dyed drawing of [[a]]  
20           plant matter;

FIG. 37 is a flow diagram showing an eleventh embodiment of the present invention;

FIG. 38 is a perspective view of a canvas for a dyed drawing of [[a]] plant matter;

5           FIG. 39 is an examination view of a canvas for a dyed drawing of [[a]] plant matter;

FIG. 40 is a flow diagram showing a twelfth embodiment of the present invention;

FIG. 41 is an examination view of a step for after-treatment;

10           FIG. 42 is a flow diagram showing a thirteenth embodiment of the present invention;

FIG. 43 is a perspective view of a canvas for a dyed drawing of [[a]] plant matter;

15           FIG. 44 is an examination view of a step for arranging [[a]] plant matter;

FIG. 45 is a flow diagram showing a fourteenth embodiment of the present invention;

FIG. 46 is an examination view of a step for arranging [[a]] plant matter;

20           FIG. 47 is an examination view of a step for arranging an absorption

sheet;

FIG. 48 is a flow diagram showing a tenth embodiment of the present invention;

FIG. 49 is a perspective view of a canvas for a dyed drawing of [[a]]  
5 plant matter; and

FIG. 50 is an examination view showing the way in which a dyed drawing of [[a]] plant matter is attached.

#### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

Preferred embodiments of the present invention are described in more  
10 detail below with reference to the accompanying drawings.

FIGS. 1-9 illustrate a transfer method and an adhesive for transfer in accordance with a first embodiment of the present invention.

The numeral 1 shows a step for arranging a mesh sheet, and the mesh sheet is arranged at a surface of a canvas on which the dyed drawing is drawn,  
15 ~~part which is drawn the dyed drawing, of a canvas 2 for the dyed drawing,~~ the canvas 2 including a drawing paper, cloth, and canvas which can absorb the plant matter for ~~draw the dyed drawing of the plant matter.~~ The canvas 2 for the dyed drawing of the plant used in the arrangement step 1 of the mesh sheet is used as it is if it has [[a]] an adequate water absorption rate. On the other hand,

MARKED SPECIFICATION

F-8063

Ser. No. 10/736,186

~~if the water absorption rate is low, the canvas 2 is used so as to have a water absorption rate after it is sprayed with alcohol, water, liquid acid liquid or a mixture thereof these mixtures if it has a low water absorption rate.~~

Moreover, the mesh sheet 3 is comprised of the meshes having a size  
5 of approximately 0.1 millimeters to several millimeters, and the thread of the mesh sheet 3 that may be used at is of any material. If possible, the thread of a the synthetic resin material may be used so that it can be is re-used after easily by washing.

The numeral 4 shows a step for arranging the plant matter, and as  
10 shown in FIG. 3, leaves 5 and flowers 6 of the plant matter which are used for ~~drawn~~ the dyed drawing are arranged on the upper surface of the mesh sheet 3 after the mesh sheet arrangement step 1 is carried out. The leaves 5 and flowers 6 of the plant matter which are arranged on the upper surface of the mesh sheet 3 at this step 4 are used to can make the pigment of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 flow out of the ~~leaf~~ leaves and ~~flower~~ flowers efficiently. Thus, so  
15 ~~that~~ the back surface of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 is arranged so as to attach to the mesh sheet 3, ~~compared with the arrangement being~~ such that the surface of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 is attached to the mesh sheet 3.

20 In addition, although the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 used for the



MARKED SPECIFICATION

F-8063

Ser. No. 10/736,186

dyed drawing ~~can be is used at~~ fresh flowers, the user may use ~~the~~ pressed  
~~flowers flower, flowers that the~~ dried flowers ~~are~~ restored in ~~the~~ boiling water,  
hot water, water, alcohol, etc.

5 The numeral 7 shows a step for arranging a thin absorption sheet 8,  
and as shown in FIG. 4, the absorption sheet 8 with water absorption  
~~capabilities rate~~ covers the upper surface of the plant matter after the  
arrangement step 4 is carried out. The water absorption sheet 8 used at this step  
7 ~~can be is used at~~ a tissue paper, toilet paper, etc.

10 The numeral 9 shows a step for covering, and as shown in FIG. 5, a  
transparent or translucent synthetic resin sheet 10 covers ~~on~~ the upper surface of  
the water absorption sheet 8 after the arrangement step 7 is carried out. In the  
~~covering cover~~ step 9, the user may use either the synthetic resin sheet 10  
formed in the shape of a sheet[[,]] ~~as~~ covering on the upper surface of the water  
absorption sheet 8, the synthetic resin sheet 10A with half fold, a lower part  
15 thereof ~~inserted inserting~~ under the canvas 2 for the dyed drawing and an upper  
part thereof covering ~~on~~ the water absorption sheet 8<sub>1</sub> or the synthetic resin  
sheet 10B using the clear file.

20 The numeral 11 shows a step for ~~creating painting~~ the dyed drawing  
after the covering step 9 is carried out. As shown in FIG. 6, the synthetic resin  
sheet 10A is pressed by a spatula 12, the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 of

MARKED SPECIFICATION

F-8063

Ser. No. 10/736,186

the plant matter are is pushed to the mesh sheet 3, and the pigment adheres to the canvas 2 for the dyed drawing after the pigment of the plant matter flows out. Then, the water absorption sheet 8 absorbs water, and a dyed drawing 13 of the plant matter is drawn on the canvas 2 ~~for the dyed drawing when there is~~  
5 ~~much~~ because of the pigment which flows out of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6. In the creating painting step 11, the pigment of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 flows ~~is-flow~~n out after the user presses or strikes so as to ~~slide on~~ the resin sheet 10A toward of the upper part of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 with by the spatula 12, and the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 are is pushed to the mesh sheet 3 and are scratched.

In addition, the spatula 12 is formed in the shape of a rice paddle, and the shape thereof may also be formed in any design which can push so as to allow the pigment to flow out by pressing the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 located under the synthetic resin sheet 10A, the design of the spatula including a  
15 roller attached at a tip portion of the spatula, marble, spatula with spherical surface including hemisphere and the like.

As shown in FIG. 7, the numeral 14 shows a step for removing the mesh sheet 3, the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 of the plant matter, the water absorption sheet 8 and the synthetic resin sheet 10A which is located on  
20 the surface of the canvas 2 ~~for the dyed drawing~~ after the creating painting step

11 is carried out.

The numeral 15 shows a step for after-treatment if needed after the removal step 14 is carried out. As shown in FIG. 8, in the embodiment of the present invention, the after-treatment step 15 is a step 15a for fixing the pigment of ~~the~~ part of the dyed drawing 13. In the fixing step 15a, a pigment fixing solution 16 ~~of pigment~~ including alum liquid and salt water is applied on ~~in the~~ part of the dyed drawing 13 by a brush 17. Moreover, if necessary, the user may coat with ~~perform the coating of~~ resin including silicone and acrylics, or hot-melt resin on the upper surface of the dyed drawing 13.

The dyed drawing 13 of the plant drawn on the canvas 2 ~~for the dyed drawing~~ by the creation method of the dyed drawing creates the picture such in ~~the state~~ that the pigment of the outline of the ~~leaf~~ leaves 5 ~~and 5~~ and ~~flower~~ flowers 6 ~~are~~ is transferred.

Moreover, when the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 ~~are~~ is pushed and pressed to the mesh sheet 3 by the spatula 12, the parts of ~~attached~~ the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 attached to the mesh sheet 3 ~~are~~ is scratched, and the pigment flows out efficiently and adheres to the canvas 2 to form ~~for~~ the dyed drawing.

Furthermore, the spatula 12 slides ~~moves slidely~~ with pressing on the synthetic resin sheet 10A so that the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 are fixed

and their outlines are not broken ~~not break its outline~~; the pigment can be adhered to the canvas 2 for the dyed drawing such ~~in the state~~ that the outlines ~~outline~~ of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 still exist; and the extra pigment 18 is absorbed ~~adsorbed~~ by the water absorption sheet 8 as shown in  
 5 FIG. 9. Because the pigment adheres to the water absorption sheet, the user can check the outline of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 and can operate the spatula 12 with proper adjustments ~~adjusting~~.

Other embodiments of the present invention will now be described with reference to FIGS. 10-50. In FIGS. 10-50, the same components as in the first  
 10 embodiment described above with reference to FIGS. 10-50 are designated by the same reference numerals and therefore will not be further explained in great detail.

A second embodiment of the present invention is shown in FIGS. 10-12. It is distinguished from the first embodiment in that the arrangement step is  
 15 replaced with ~~from another~~ step 1A. In this step 1A, a mesh sheet 3A formed of [[a]] sand paper formed in the shape of a mesh is used. A creation method of a dyed drawing of a plant matter with the arrangement step 1A can cause the ~~flowing~~ flow out of the pigment by scratching efficiently the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 of the plant matter.

20 A third embodiment of the present invention is shown in FIGS. 13-15.

It is distinguished from the first embodiment in that the after-treatment step 15 is replaced with ~~from another~~ after-treatment step 15A which further includes a step 22 for coloring. In the coloring step 22, an acid solution 20 including lactic acid, citric acid for red or purple ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 and an alkali solution 21 including baking soda, sodium hydrate for yellow or green ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 are applied on ~~in~~ the dyed drawing 13 of the plant drawn on the canvas 2 ~~for the dyed drawing~~ by a brush 19 before the fixing step 15a ~~5a~~ is carried out. A creation method of a dyed drawing of a plant matter with the after-treatment step 15A including the coloring step 22 according to the second embodiment has similar advantages to that according to the first embodiment and a colorful dyed drawing 13A is created.

A fourth embodiment of the present invention is shown in FIGS. 16-18.

It is distinguished from the first embodiment in that the a step 24 for scratching the surface or back of the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 with ~~[[a]]~~ sand paper so as to cause the outflow ~~flow of the pigment out~~ easily after the arrangement step 1 is carried out, after that, there is a step for arranging the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 which are scratched on the mesh sheet 3. A creation method of the dyed drawing of a plant matter with the scratching step 24 according to the fourth embodiment has similar advantages to that according to the first embodiment, and the pigment of the ~~leaf~~ leaves 5 and ~~flower~~ flowers

6 with a low water content can be transferred ~~transfer~~ efficiently ~~the pigment~~ thereof to the ~~he~~ canvas 2 for the dyed drawing.

A fifth embodiment of the present invention is shown in FIGS. 19-22.

It is distinguished from the first embodiment in that the after-treatment step 15

5 is replaced with ~~from~~ another step 15B which includes a step 30 for enclosing.

The enclosing step 30 is carried out after the fixing step 15a is carried out, a

canvas 2A for the dyed drawing is interposed between an aluminum foil 25,

including the foil adhered to a flexible resin sheet at the outer surface thereof,

and a glass plate 26 through a desiccant 27, a deoxidizer 28 and the like, and

10 the aluminum foil 25 and glass plate 26 are fixed at the outer circumferential part thereof with [[a]] adhesive 29 at a sealing state. After that, the canvas 2A is

enclosed in a frame 31 and displayed. A creation method for ~~of~~ a dyed drawing

of [[a]] plant matter with the after-treatment step 15B including the enclosing

step according to the fifth embodiment may be carried out.

15 A sixth embodiment of the present invention is shown in FIGS. 23 and

24. It is distinguished from the first embodiment in that a step 33 for

neutralizing the canvas 2 before the arrangement step 1 is carried out. In the

neutralizing step 33, ~~the~~ alkali solution is applied or sprayed when the acid

canvas 2 for the dyed drawing is used, and the acid solution is applied or

20 sprayed when the alkaline canvas 2 for the dyed drawing is used. A creation

method of a dyed drawing of [[a]] plant matter with the neutralizing step 33 according to the sixth embodiment may be carried out.

A seventh embodiment of the present invention is shown in FIGS. 25 and 26. It is distinguished from the sixth embodiment in that a step 35 for preventing oxidation ~~to oxidize~~ of the dyed drawing before the arrangement step 1 is carried out. In the preventing step 35, an anti-oxidization agent 34 is applied or sprayed on ~~in~~ the canvas 2 for the dyed drawing. A creation method of a dyed drawing of a plant matter with the preventing step 35 according to the sixth embodiment may be carried out.

In addition, in the embodiments of the present ~~prevent~~ invention, the fixing step 15 and coloring step 22 are used as the after-treatment step. Then, only the coloring step 22 may be carried out without the fixing step 15, the after-treatment step without the fixing step 15 and coloring step 22 may be carried out.

An eighth embodiment of the present invention is shown in FIGS. 27-29. It is distinguished from the first embodiment in that the arrangement step 4 is replaced with ~~from another~~ step 4B and the arrangement step 7 is replaced with ~~from another~~ arrangement step 7A. In the arrangement step 4B for arrangement of the plant matter, the ~~leaf~~ leaves 5 and ~~flower~~ flowers 6 are arranged fixedly on a fixing sheet 8A with or without ~~non-water absorption rate~~

~~or with~~ water absorption ~~capabilities~~ rate. In the arrangement step 7A, the ~~leaf~~  
~~leaves~~ 5 and ~~flower~~ flowers 6 arranged fixedly on the fixing sheet 8A are ~~is~~  
located at the upper surface of the mesh sheet 3 after the arrangement step 1 is  
carried out. A creation method of a dyed drawing of ~~[[a]]~~ plant matter with the  
5 arrangement step 4B and the arrangement step 7A according to the eighth  
embodiment has similar advantages to that according to the first embodiment,  
~~small~~ where the leaf leaves 5 and ~~flower~~ flowers 6 do not move, and the work  
of the dyed drawing can be carried out such that the leaves 5 and flowers 6 in  
~~the state that they~~ are arranged on the fixing sheet 8A in advance.

10 A ninth embodiment of the present invention is shown in FIGS. 30-33.  
It is distinguished from the first embodiment in that a canvas 2A is comprised  
of a canvas body 37 which is a drawing paper etc.; and a pH setting solution 38  
which is either DL-malic acid, sodium DL-malic acid, phytic acid, citric acid or  
a combined solution with at least two kinds of the above-mentioned liquids,  
15 impregnates ~~impregnating~~ the canvas 2A so as to set the range of pH of 2.5 to  
3.5, capable of keeping ~~keep~~ the pH constant over the long term.

The arrangement step 1 is replaced with ~~from another~~ step 1B which  
may be carried out in this embodiment. Also a step 40 for infiltrating with a  
resin protection agent 39 may be carried out. In the infiltrating step 40 as the  
20 after-treatment step, the resin protection agent 39 including polyester resin,



acrylic resin, silicon resin, polyethylene resin or the like is infiltrated to at least  
the part of dyed drawing 13 of the canvas 2A.

When a creation method of a dyed drawing of [[a]] plant matter with  
such steps, the pigment can be drawn to the canvas 2A for the dyed drawing in  
5 at a colorful state since the canvas 2A for the dyed drawing is set at the range of  
pH of 2.5 to 3.5.

In addition, anthocyan and flavone which are pigments ~~pigment~~ of the  
plant matter and are ~~is~~ colorful ~~colored well~~, and they are ~~it is~~ prevented from  
changing ~~to change the color or~~ darkening ~~due~~ ~~darken according~~ to oxidization  
10 and the like.

A tenth embodiment of the present invention is shown in FIGS. 34-36.  
It is distinguished from the ninth embodiment in that the canvas 2A for the dyed  
drawing is replaced with ~~from~~ another canvas 2B including the canvas body  
37[[]] and a paper 41 which seldom absorbs water[[]] and which is adhered  
15 adhering ~~fixedly~~ to the back surface of the canvas body 37. Then the canvas 2B  
is used at an arrangement step 1C. A creation method of a dyed drawing of [[a]]  
plant matter with the arrangement step 1C according to the tenth embodiment  
has similar advantages to that according to the ninth embodiment.

In addition, instead of the paper 41, the a synthetic resin sheet, an the  
20 object formed in the shape of a sheet by applying the resin agent which gets

rigid with UV, heat or the like may be adhered to the back of the canvas body  
37.

An eleventh embodiment of the present invention is shown in FIGS.

~~37-39~~<sup>10-12</sup>. It is distinguished from the tenth embodiment in that the canvas 2B

5 for the dyed drawing is replaced with ~~from~~ another canvas 2C including the  
canvas body 37A ~~37~~[[;]] and a paper 42 which seldom absorbs water and which  
is adhered to the back of a canvas body 37A for the dyed drawing and which  
can be ~~by using~~ a superabsorbent cloth, board, plaster board, unglazed body or  
the like, the cloth being is used in this embodiment. Then the canvas 2C is used  
10 at an arrangement step 1D. A creation method of a dyed drawing of [[a]] plant  
matter with the arrangement step 1D according to the eleventh embodiment has  
similar advantages to that according to the tenth embodiment.

A twelfth embodiment of the present invention is shown in FIGS. 40  
and 41. It is distinguished from the ninth embodiment in having ~~that~~ a step 22A

15 for coloring. In the coloring step 22A, a solution 43 including baking soda,  
sodium carbonate and the like with acescence to alkalinity is applied in a ~~the~~  
part of ~~which drawn~~ the dyed drawing 13 with a ~~by the~~ brush 17 and the like,  
and the dyed drawing 13 can be colored in a natural color as much as possible.

Then the coloring step 22A as the after-treatment step 15C is carried out. A

20 creation method of a dyed drawing of [[a]] plant matter with such step

according to the twelfth embodiment has similar advantages to that according to the ninth embodiment.

A thirteenth embodiment of the present invention is shown in FIGS.

42-44. It is distinguished from the ninth embodiment in that the canvas 2A is  
 5 replaced with ~~from another~~ canvas 2D including a canvas body 37B which is a  
 superabsorbent paper cloth, board, plaster board, unglazed body or the like on  
 which are formed tiny asperities on the surface thereof, the paper is used in this  
 embodiment. Then after a step 4C for arranging ~~which is arranged~~ the leaf  
leaves 5 and ~~flower~~ flowers 6 on the upper surface of the dyed drawing of the  
 10 canvas 2D ~~for the dyed drawing is carried out~~, the covering step 9, drawing  
 step 11, removing step 14 and infiltrating step 40 are carried out in order. A  
 creation method of a dyed drawing of [[a]] plant matter with such step  
 according to the thirteenth embodiment has similar advantages to that according  
 to the ninth embodiment.

15 A fourteenth embodiment of the present invention is shown in FIGS.

~~45-47~~40-42. It is distinguished from the thirteenth embodiment in that the step 7  
 for arranging the absorption sheet 8 which absorbs water from ~~of~~ the upper  
 surface of the plant matter is carried out between the arrangement step 4C and  
 covering step 9. A creation method of a dyed drawing of [[a]] plant matter with  
 20 such step according to the fourteenth embodiment has similar advantages to that

according to the thirteenth embodiment, and the absorption sheet 8 absorbs water such that a ~~and~~ beautiful dyed drawing is drawn.

A fifteenth embodiment of the present invention is shown in FIGS. 48-50. It is distinguished from the first embodiment in that the canvas 2 is replaced  
5 with ~~from another~~ canvas 2E with chemical fiber paper or chemical fiber cloth including rayon, nylon, and acryl etc. that it is easy to be stained by a dye and which doesn't contain water-soluble elements ~~element~~ so as to affect the pH of the plant matter. Then an arrangement step 1E is carried out. A creation method of a dyed drawing of [[a]] plant matter with such step according to the fifteenth  
10 embodiment has similar advantages to that according to the first embodiment, and the canvas 2E drawn with the ~~he~~ dyed drawing 13 is adhered to the surface of a decoration body 45 which is formed in the shape of a flat surface or cubic shape with a transparent resin 46, including a transparent silicon resin, which does not affect pH of the plant matter so that the canvas 2E is under transparent  
15 material ~~in a transparency~~ as much as possible so ~~as~~ the object looks clean when immersed ~~it immerses~~ in water, and it is honed to be beautiful.

In addition, the silicon resin for adhering may be applied in the surface of the canvas 2E for the dyed drawing.

In the embodiment, the canvas 2E may be used as the canvas treated  
20 for anti-oxidization, canvas treated for acid, canvas treated for a fixing agent,

canvas attached to the board at the back thereof, canvas processed to be ~~which~~  
are formed with tiny asperities on the surface without the mesh sheet or canvas,  
which is cloth, paper or the like, which does not affect pH of the plant matter.

Moreover, in each of the embodiments in the present invention, when  
5 the back of the ~~leaf~~ leaves 5 and the surface of the ~~flower~~ flowers 6 of the plant  
matter which are arranged at the upper surface of the mesh sheet or canvas for  
the dyed drawing are arranged, pigment can flow out efficiently from almost all  
of the plant matter. ~~matters can flow the pigment out efficiently.~~

Furthermore, in the embodiments of the present invention, the step 7  
10 for arranging the thin absorption sheet 8 with water absorption capabilities ~~rate~~  
including tissue paper, toilet paper, etc., which covers the upper surface of the  
plant matter after the arrangement step 4 is carried out and the step for covering  
the transparent or translucent synthetic resin sheet 10 on the upper surface of  
the water absorption sheet 8 after the arrangement step 7 is carried out are  
15 explained. Also the steps without the step 7 for arranging the absorption sheet  
may be carried out, and the step 9 for covering using the synthetic resin sheet  
other than the transparent or translucent synthetic resin sheet 10 may be carried  
out.

As set forth above, the advantages of the invention are as follows:

20 (1) A creation method of a dyed drawing of [[a]] plant matter includes

a step of arranging a mesh sheet on at a surface part of a canvas for a dyed drawing which is drawn ~~the dyed drawing~~; arranging leaves and flowers of the plant matter on an upper surface of the mesh sheet after the mesh sheet arrangement step is carried out; covering the plant matter with one of a transparent and a translucent synthetic resin sheet after the arrangement step for the plant matter is carried out; creating painting the dyed drawing on the at a canvas for the dyed drawing, including pushing the ~~leaf~~ leaves and ~~flower~~ flowers of the plant matter to the mesh sheet after pressing the synthetic resin sheet by one of a spatula and a roller, causing the outflow of pigments~~flowing a pigment~~ of the ~~leaf~~ leaves and ~~flower~~ flowers out, and adhering the pigment to the canvas after the covering step is carried out; and removing the mesh sheet, the ~~leaf~~ leaves and ~~flower~~ flowers of the plant matter and the synthetic resin sheet which are located on the surface of the canvas for the dyed drawing after the creating painting step is carried out. Therefore, the pigment can flow be ~~flowed~~ out after the ~~leaf~~ leaves and ~~flower~~ flowers are pressed to the mesh sheet by the spatula and scratched.

Therefore, the pigment can flow~~be flow~~ed out efficiently, and the pigment can be adhered to the object for the dyed drawing.

(2) As discussed above, the absorption sheet and synthetic resin sheet cover the upper part of the ~~leaf~~ leaves and ~~flower~~ flowers and are pressed by the

MARKED SPECIFICATION

F-8063

Ser. No. 10/736,186

spatula. Therefore, the movement of the ~~leaf~~ leaves and ~~flower~~ flowers can be prevented efficiently by moving ~~carrying out so as to move~~ the synthetic resin sheet during the pressing of the spatula, and the pigment of the shape of the ~~leaf~~ leaves and ~~flower~~ flowers can be adhered and transferred to the object for the dyed drawing ~~at a transferring state~~.

(3) As discussed above, even though the ~~leaf~~ leaves and ~~flower~~ flowers of the plant matter are ~~is~~ separated by pressing the spatula, the ~~leaf~~ leaves and ~~flower~~ flowers can be removed with the mesh sheet at the attached state when the mesh sheet is taken away.

Therefore, there is prevention of the adherence of it is prevented to ~~adhere~~ the ~~leaf~~ leaves and ~~flower~~ flowers to the object of the dyed drawing, thus, the beautiful dyed drawing can be created.

~~(4) Also claims 2 to 10 are achieved with the same effect as the above (1) to (3).~~

(4) ~~(5)~~ When ~~In claim 10, when~~ the absorption sheet is used, it absorbs the extra pigment which flows out of the ~~leaf~~ leaves and ~~flower~~ flowers of the plant matter and the fading of color it can be prevented ~~to fade in color of the dyed drawing~~. In addition, the absorption sheet absorbs water so that the outline of the ~~leaf~~ leaves and ~~flower~~ flowers is clear, the pressure power of the spatula can be controlled, and the beautiful dyed drawing can be created.

MARKED SPECIFICATION

F-8063

Ser. No. 10/736,186

(5) ~~(6)~~ ~~The Also claim 11 is achieved with the same effect as the above~~  
~~(1) to (3), and the dyed drawing that is drawn in the canvas is cleaned up and~~  
can be prevented to change color in the after-treatment step.

~~(7) Also claims 12, 13, 14 and 15 are achieved with the same effect as~~  
5 ~~the above (6).~~

~~(8) Also claims 16, 17, 18 and 19 are achieved with the same effect as~~  
~~the above (1) to (3).~~



**ABSTRACT**

The creation method of a dyed drawing includes a step of arranging of ~~the~~ mesh sheet ~~on~~at the surface of the canvas for the dyed drawing, arranging ~~the~~ leaves and flowers on the upper surface of a ~~the~~ mesh sheet, covering ~~on~~ the plant matter with ~~a~~the synthetic resin sheet, ~~creating~~painting the dyed drawing ~~on~~at the ~~[[a]]~~ canvas including pushing the leaves and flowers ~~leaf and flower~~ to the mesh sheet after pressing the synthetic resin sheet ~~with~~by a ~~the~~ spatula etc., ~~the flowing~~a pigment of the ~~leaf~~ leaves and ~~flower~~ flowers ~~outflowing out~~ and ~~being adhered~~ ~~adhering the pigment~~ to the canvas, and removing the mesh sheet, the leaves and flowers ~~leaf and flower~~ and the synthetic resin sheet which are located on the surface of the canvas for the dyed drawing so the dyed drawing can be created ~~that it can create the dyed drawing~~, adhering and transferring the pigment of leaves and flowers~~flower~~ of the plant matter to the drawing paper, canvas, etc. ~~in the transfer state, and everyone can do easily,~~ and ~~it can be introduced to the subject of a culture classroom.~~